



2855\$

[10191/1821]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No

09/871,217

Confirmation No. 1693

Applicant

Hanniel SCHMIDT

Filed

May 31, 2001

For

METHOD AND DEVICE FOR DETERMINING A

BASIC VALUE OF AT LEAST ONE MEASURED

QUANTITY OF BRAKE SYSTEM

Examiner

T. Miller

Art Unit

2855

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope

addressed to: Commissioner for Patents, P.O. Box 1450

Alexandria, VA 22313-1450, on

Customer No.

26646

Date 2/23/04

Atty's Reg. # 41,172

Atty's Signature

DERVIS MAGISTRE
KENYON & KENYON

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

AMENDMENT TRANSMITTAL

SIR:

Please find an Amendment transmitted herewith for filing in the above-identified patent application. Applicant respectfully requests a one-month extension of time in which to respond to the office action dated October 21, 2003, for which a response period expiring on January 21, 2004 was set. The extended period expires on February 23, 2004 (February 21st being a Saturday).

Please charge the \$110.00 extension fee and any additional fees required to Deposit Account No. 11-0600. A duplicate copy of this Transmittal is enclosed.

Respectfully submitted,

02/27/2004 YPOLITE1 00000132 110600 0

01 FC:1251 110.00 DA

09871217

KENYON & KENYON

Dated:_ عمراه

By: 45 2 get (B. No. 41,172)
By: Rule 7. 2 mag

Richard L. Mayer Reg. No. 22,490

One Broadway

New York, NY 10004

(212) 425-7200

MAR 0 3 2004 [10191/1821]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No

09/871,217

Confirmation No. 1693

Applicant

Hanniel SCHMIDT

Filed

May 31, 2001

For

METHOD AND DEVICE FOR DETERMINING A BASIC

VALUE OF AT LEAST ONE MEASURED QUANTITY OF

BRAKE SYSTEM

Examiner

T. Miller

Art Unit

2855

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope

addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on

Customer No.

26646

2/23/04

Atty's Reg. # 41,172

Atty's Signature

DERVIS MAGISTRE **KENYON & KENYON**

Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

AMENDMENT

Sir:

In response to the Office Action of October 21, 2003, please amend the aboveidentified application as follows:

Amendments to the Specification begin on page 2 of this paper

Amendments to the Claims are reflected in the Listing of Claims which begins on page 3 of this paper.

Remarks/Arguments begin on page 6 of this paper.